e-services

Client configuration

Thunderbird

Step 1

Click configure manualy



Step 2

Manual configuration

Incoming server

Protocol: IMAP or POP3

Hostname: zmail.iitm.ac.in

Port: IMAP:993 POP:995

Connection security: SSL/TLS

Authentication method: Autodetect

Username:user@zmail.iitm.ac.in

Step 2


Search... CTRL + K
Local Folders
Account Settings
Account Setup
Remember password
Manual configuration
INCOMING SERVER
Protocol: IMAP
Hostname: zmail.iitm.ac.in
Port: 993
Connection security: SSL/TLS
Authentication method: Autodetect
Username: sanand@zmail.iitm.ac.in
OUTGOING SERVER
Hostname: smtp.iitm.ac.in
Port: 465
Connection security: SSL/TLS
Authentication method: Autodetect
Username: sanand1
Advanced config
Re-test
Cancel
Done
Not sure what to select?
Setup documentation - Support forum - Privacy policy
Done
26°C
Partly cloudy
Search
ENG
IN
23:09
09-01-2024

Step 3

Account successfully created

Username: user@zmail.iitm.ac.in

Password: LDAP password



Step 4

Logged into client successful



Step 5

Composing new message



Step 6

Password for outgoing

Enter your LDAP password